

Medical Chemical Corp. 19430 Van Ness Ave. Torrance, CA 90501

Customer Service: Phone (310)787-6800 FAX (310)787-4464

CHEMTREC Emergency Response Telephone Number: (800)424-9300 Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

Section I - Product Identification

An aqueous solution of basic fuchsin, phenol, reagent alcohol and DMSO.

Section II - Hazards Identification

Overview: Toxic by inhalation absorption or ingestion. Can not be made nontoxic. Methanol is a cumulative poison and death has been reported for ingestion of less than 30 milliliters. Causes CNS depression, headache, intoxication, dilation of the pupils, convulsions nausea, and dizziness. Unconsciousness and death may result. Methanol intoxication may produce visual disturbances and blindness. Phenol is very toxic and the presence of DMSO may enhance the absorption of the other ingredients.

Safety Ratings

Health: Hazardous Flammability	: Flammable Reactivity: Slight C	Contact: Slight
	safety goggles, lab coat and proper glo	0
Storage: Room Temperature away		\wedge $\langle 3 \rangle$
NFPA Ratings	5	$\langle \rangle \rangle \langle 2 \times 1 \rangle$
Health = 2 Flammability = 3	Reactivity = 1	\sim
	-	\mathbf{v}

Potential Health Effects

The toxicology of this compound have not been completely examined. It is presumed that the toxicity of this item is similar to other solutions of phenol and aliphatic alcohols.

Inhalation: Alcohols are absorbed through the mucous membranes and will produce irritation as well as the same effects as ingestion.

Ingestion: Inhalation will produce CNS disturbance, dizziness, photophobia, headache, stupor, coma and death. Phenol is very toxic and absorption may be enhanced by the presence of DMSO.

Skin contact: Alcohols are absorbed through the skin. Repeated contact causes defatting of the skin with resultant irritation and flaking. DMSO will enhance the absorption of any substance dissolved in it.

Eye contact: May be irritating

Chronic Exposure: Unknown

Aggravation of preexisting conditions: Impaired kidney and liver function may be aggravated by exposure to alcohols. Preexisting eye, skin, and respiratory conditions may also be aggravated. Methanol has shown genetic toxicity in some animals.

Section III - Composition/Information on Components

ngredients CAS#		OSHA Pel	ACGIH TLV	Other Limits	%	
Basic fuchsin	569-61-9		<u> </u>		2% w/v	
Phenol	108-95-2	5 ppm (Skin) TWA	5 ppm (Skin) TWA		5% w/v	
Ethanol	64-17-5	1000 ppm	1000 ppm		22.5% v/v	
Methanol	67-56-1	200 ppm (skin)) 200 ppm (skin)		1.3% v/v	
Isopropanol	67-63-0	400 ppm 400 ppm		1.3% v/v		
Dimethyl sulfoxide	67-68-5		<u>_</u>		7% v/v	

Section IV - First Aid Measures

Inhalation: Remove from source of exposure and get medical attention for any breathing difficulty.

Ingestion: Do not induce vomiting. Get immediate medical attention even if symptoms improve.

Skin Contact: In case of skin contact, remove contaminated clothing and flush with water. Wash affected area with soap and water. Get medical advice if irritation develops.

Eye Contact: In case of eye contact, flush with water for at least 15 minutes and get medical attention.

Section V - Fire Fighting Measures

Flash point: 33°C (91°F) TCC

Flammable Limits (for ethanol): LEL 3% UEL 19%

Explosion: Not normally an explosion hazard.

Fire Extinguishing Media: Alcohol type foam, carbon dioxide or dry chemical. Water is ineffective against alcohol fires but may be used to cool adjacent containers.

Special information: Pyrolysis will release phenol and toxic oxides such as carbon monoxide.

Section VI - Accidental Release Measures

Remove all sources of ignition, absorb with a suitable absorbent (such as paper towels) and dispose.

Section VII - Handling and Storage

Store in a closed container, away from open flames or other sources of ignition.

Section VIII - Exposure Control/Personal Protection

Airborne Exposure Limits: See section III.

Ventilation System: Usually not required. When required, Refer to the ACGIH document, "Industrial Ventilation, a Manual of Recommended Practices" for details about ventilation.

Personal Respirator. Usually not required. In case of emergency, or when exposure levels are unknown, use a positive pressure, full face piece, air supplied respirator.

Skin protection: Protective gloves are recommended as part of good laboratory practice.

Eye Protection: Laboratory safety goggles or similar products are recommended as part of good laboratory practice.

Section IX - Physical and Chemical Properties

Boiling Point: 95°C	<i>Density:</i> 0.99 g/ml				
Vapor pressure (mm Hg): Unknown	Evaporation Rate (Water = 1): 1				
Vapor Density (air = 1): 3.2	Solubility: Infinitely miscible with water				
Appearance and Odor: A reddish purple solution with the characteristic odor of phenol.					

Section X - Stability and Reactivity

Stability: Freezes at low temperature. Hazardous Decomposition Products: Nothing unusual. Hazardous polymerization: Will not occur.

Incompatibilities: Oxidixers.

Conditions to avoid: heat, flame and sources of ignition.

Section XI - Toxicological Information

Chronic consumption of ethanol is believed to be linked to liver disease, cancer and birth defects.

Cancer lists				
Ingredient	Known Carcinogenicity?	NTP?	Anticipated?	IARC Category
Basic Fuchsin	no	no	no	none
Phenol	no	no	no	3
Ethanol	no	no	no	none
Methanol	no	no	no	none
Isopropanol	no	no	no	3
DMSO	no	no	no	none

Section XII - Ecological Information

Environmental Fate: Reagent alcohol is biodegradable. Basic fuchsin, phenol and DMSO are probably not. Environmental Toxicity: Unknown.

Ethanol evaporates quickly and is not expected to bioaccumulate. The half-life for ethanol in the atmosphere is one to ten days.

Section XIII Disposal Considerations

The preferred disposal method is incineration. Many localities restrict the amount of alcohol and/or phenol that may be flushed down the drain. Insure compliance with all government regulations.

Section XIV - Transportation Information

DOT Shipping name: Ethyl alcohol solutionHazard Class: 3Packaging Group: IIIDOT Hazard Label: Flammable liquidDOT Identification Number. UN1170Bottles smaller than 32 Fl. Oz. are eligible to be shipped under ORM-D or limited quantity exemptions [49 CFR section173.150(b)(2), 173.150(C) and IATA Y341].

Section XV Regulatory Information

Ingredient	<u>TSCA</u>	<u>EC</u>
Basic Fuchsin	Yes	Yes
Phenol	Yes	Yes
DMSO	Yes	Yes
Ethanol	Yes	Yes
Methanol	Yes	Yes
Isopropanol	Yes	Yes

Federal, State and International Regulations

	<u>SARA</u>	302	SARA:	313	<u>RCRA</u>	<u>TSCA</u>	
Ingredient	RQ	<u>TPQ</u>	<u>List</u>	Category	<u>261.33</u>	<u>8(D)</u>	<u>Ca. Prop. 65</u>
Basic fuchsii	n No	No	No	No	No	No	No
Phenol	Yes	Yes	Yes	Yes	No	No	No
DMSO	No	No	No	No	No	No	No
Ethanol	No	No	No	No	No	No	No
Isopropanol	No	No	Yes	No	No	No	No
Methanol	No	No	Yes	No	U154	No	Yes

Chemical Weapons Convention: No TSCA 12(b): No CDTA: Yes SARA 311/312: Acute: Yes, Chronic: Yes, Flammable: Yes

Section XVI - Other Information

This information is believed to be correct but is not waranteed as such, nor does it purport to be all inclusive.

Revision Date: Apr. 15, 2014