



# MicroBioLogics®

## MICROBIOLOGY QUALITY CONTROL SLIDES

### SECTION I GENERAL INFORMATION

**Manufacturer's Name:**  
MicroBioLogics, Inc.

**Emergency Telephone Number:**  
320-253-1640

**Address:**  
217 Osseo Avenue North,  
St. Cloud, Minnesota 56303

**Chemical Name or Synonyms:**  
Microbiology Quality Control Slides

**Tradename Name:**  
KWIK- QC™ Slides  
Microbiology QC Slides

**Formula:** N/A

### SECTION II HAZARDOUS INGREDIENTS

**Paints, Preservatives, & Solvents:** N/A  
**Alloys and Metallic coatings:** N/A  
**Hazardous Mixtures of other liquids, solids, or gases:** N/A

### SECTION III PHYSICAL DATA

**Boiling Point:** N/A  
**Vapor Pressure:** N/A  
**Vapor Density:** N/A  
**Solubility in Water:** N/A  
**Specific Gravity:** N/A  
**Percent Volatile:** N/A  
**Evaporation Rate:** N/A  
**Appearance and Odor:** Air-dried smears of specified quality control microorganisms or clinical samples containing known microorganisms are presented on individual slides. The slides are used to verify performance of stain reagents, staining methods, and the performance of personnel interpreting microscopic examinations.

### SECTION IV FIRE AND EXPLOSION HAZARD DATA

**Flash Point:** N/A  
**Flammable Limits:** N/A

### SECTION V HEALTH HAZARD DATA

The microorganisms presented in the smears are nonviable and do not pose a health threat. The microorganisms are nonviable due to methanol fixing or the use of clinical samples that have been placed in preservative-fixative solutions (e.g. PVA, SAF, formalin, acetone, etc.). The microscope slide preparations are for in vitro use only.

### SECTION VI REACTIVITY DATA

**First Aid:** Other than cuts or punctures resulting from accidental breaking of the glass microscope slide, and a responsible response to these injuries, no specific first aid procedures are required.

**Stability:** These products are stable if proper storage conditions are observed. Storage conditions are stated in the product-labeling format (e.g. "Store at 15°C to 30°C, in the original and intact container").

**Incompatibility:** N/A  
**Hazardous Decomposition Products:** N/A  
**Hazardous Polymerization:** N/A

### SECTION VII SPILL OR LEAK PROCEDURES

**Steps to be taken in case material is spilled or released:** N/A  
**Waste Disposal Method:** Avoiding injuries due to breakage must be considered for proper disposal of glass microscope slides.

### SECTION VIII SPECIAL PROTECTION INFORMATION

**Respiratory Protection:** N/A  
**Contact Precautions:** N/A  
**Protective Clothing:** The use of gloves, safety glasses, moisture impervious aprons, and other protective clothing must be dictated by the standard operational procedures of each individual laboratory for performing microbiology staining procedures.

### SECTION IX SPECIAL PRECAUTIONS

The Product Insert, which accompanies the distribution of each product, contains specific information regarding specific precautions. The microscope slide preparations are for in vitro use only.

**The statements contained herein are offered for informational purposes only and are intended to be followed only by persons having related technical skills and at their own discretion and risk. Since conditions and manner of use are outside of our control, we make no warranties, expressed or implied, and assume no liability in connection with any use of this information.**

**U.S. DEPARTMENT OF LABOR**  
Occupation Safety and Health Administration